

Self-service KIOSK



We concern about

- Hire employees
- Space restrictions
- Account management
- IT support
- Advertising budget
-Time and money



Just plug it in

Ready to set your restaurant up for success?
Self-service KIOSK can offer multiple
optional services

- More revenue
- Precise ordering
- Digital database management
- Payment choices
- Customer satisfaction
- Support for advertisements and promotions

PARAMETER

General specification	Mainboard	i3-5005U
	RAM	4G
	Storage memory	64G SSD
	Operation system(OS)	Windows 7
	Network support	Gigabit network
PC Panel	Panel specs	24 Inch
	Panel type	TFT-LCD
	Backlight type	WLED
	Display size	521.28 × 293.22 mm (H×V)
	Resolution	1920*1080
	Contrast(typ)	1000 : 1
	Visual angle	H:178°,V:178°
	Touch technology	Capacitive
	Touch points	10 points
Motherboard	Processor	Quad core i3CPU,2.1
	Chipset	Integration CPU
	Memory type	1xSO-DIMM DDR3L 1066/1333MHz Memory,Max.8GB
	Storage interface	1*SATA2.0,1*mSATA
	BIOS	AMI 64Mb Flash ROM
Printer	Printing method	Thermal printing
	Resolution	203DPI
	Paper width	80(mm)
	Printing width	72(mm)
	Printing speed	80mm/s
	Typeface	9*17 (ASCII) 24*24(chinese)
	Working voltage	24V DC
Scanner	Reading mode	CMOS
	Reading accuracy	≥5mil
	Print contrast	20%
	light Source	5600K LED
	Fidld of View	40° (H) *25° (V)
	Roll pitch yaw	360°,+-65°,+-60°
	Voltage	500mA
	Working voltage	5v DC
Power	Input voltage	200vac-240vac
	Rated voltage	□ 80W
Characteristics	Weight	down:40*8.5*82.2(cm) U40*3*82.2(cm)



Self-service solutions

Scope of application



KSO series

-  HOTEL
-  Restaurant
-  Hospital
-  School
-  Government institution